

# Ambiguity Resolution in a Spiking Network Model of Sentence Comprehension

**Submission ID** 3000125  
**Submission Type** Poster  
**Topic** Cognitive Science  
**Status** Submitted  
**Submitter** Marvin Uhlmann  
**Affiliation** Max Planck Institute for Psycholinguistics

## SUBMISSION DETAILS

**Presentation Type** Either Poster or Oral Presentation

**Presentation Abstract Summary** Sentence processing involves the real-time combination of word input into a stable semantic interpretation. How does the human language system accomplish this feat in light of massive lexical and structural ambiguity?

Here, we model sentence comprehension using an untrained recurrent network of biologically realistic neurons with static, sparse connectivity. A linear readout device maps internal network dynamics, generated by sentence input, onto semantic relations (who did what to whom).

Results suggest that ambiguity resolution could be achieved with strictly local, adaptive neuronal memory.

**Paper Upload (PDF)** [CCN\\_submission\\_Uhlmann\\_FINAL.pdf](#)

## Co-author Information

\* Presenting Author

First Name	Last Name	Affiliation	E-mail
Marvin *	Uhlmann *	Max Planck Institute for Psycholinguistics	marvin.uhlmann@mpi.nl
Dick	van den Broek	Max Planck Institute for Psycholinguistics	Dick.vandenBroek@mpi.nl
Hartmut	Fitz	Max Planck Institute for Psycholinguistics	hartmut.fitz@mpi.nl

Peter	Hagoort	Max Planck Institute for Psycholinguistics	Peter.Hagoort@mpi.nl
Karl-Magnus	Petersson	Max Planck Institute for Psycholinguistics	Karl-Magnus.Petersson@mpi.nl

## Keywords

Keywords
neurobiology of language
spiking neural network
sentence processing
semantic role labeling
ambiguity resolution