

Distinct Flavors of Prediction Error Signals in Forebrain Cholinergic and Midbrain Dopaminergic Neurons during Reinforcement Learning

Submission ID 3000241
Submission Type Oral Presentation
Topic Neuroscience
Status Submitted
Submitter Fitz Sturgill
Affiliation Cold Spring Harbor Laboratory

SUBMISSION DETAILS

Presentation Type Either Poster or Oral Presentation

Presentation Abstract Summary Basal forebrain (BF) cholinergic (ChAT) neurons project throughout cortex and, by modulating cortical plasticity, may support learning. Yet the principles governing ChAT neuron activation have remained obscure. Recent work from our lab revealed that ChAT neurons respond rapidly (~20ms) to reinforcers (reward, punishment) and are modulated by reinforcement expectation or surprise, analogous to dopaminergic reward prediction error (RPE). Therefore we hypothesized that ChAT neurons provide an unsigned, cortical counterpart to dopaminergic RPE. To test this, we simultaneously monitored BF ChAT and midbrain dopamine (DAT) neurons using fiber photometry in a cued, probabilistic outcome task. We confirmed that ChAT neurons respond alike to reward and punishment. With learning, ChAT neurons acquired responses to predictive stimuli and showed diminished responses to expected outcomes, hallmarks of a prediction error. Using dual fiber measurements in a reversal learning paradigm, we observed a striking but partial correspondence between DAT and ChAT signals within and across learning trials. Our results demonstrate that BF ChAT neurons provide a cortical prediction error signal computationally distinct from but coordinated with dopaminergic RPE.

Paper Upload (PDF) [CCN_Fitz_2017_v5.pdf](#)

Co-author Information

* Presenting Author

First Name	Last Name	Affiliation	E-mail
Fitz *	Sturgill *	Cold Spring Harbor Laboratory	fitzsturgill@gmail.com
Adam	kepecs	Cold Spring Harbor Laboratory	kepecs@cshl.edu

Keywords

Keywords
reinforcement learning
neuromodulation
acetylcholine