

# Weak Fusion of Cue Predictions in Context-Based Decisions

**Submission ID** 3000267  
**Submission Type** Poster  
**Topic** Cognitive Science  
**Status** Submitted  
**Submitter** Olga Lositsky  
**Affiliation** Princeton University

## SUBMISSION DETAILS

**Presentation Type** Poster Presentation

**Presentation Abstract Summary** Context (such as our location or current goal) informs everyday decisions, both by predicting stimuli and by determining relevant responses. How do we develop priors that are general enough to apply in various contexts yet specific enough to maximize reward in a given context? We investigated this using the AX-CPT, a task in which a cue determines which button to press for a probe that appears seconds later. We manipulated the frequency of the probe given the cue across participants and built a diffusion model to estimate how the cue informs subjects' response priors for the decision. We found that subjects' context-dependent priors were closer to each other and less extreme than those predicted by a model that maximizes reward rate given the true stimulus frequencies. However, participants' priors were nearly optimal given their subjective frequency estimates. Indeed, subjects' explicit frequency estimates revealed that they averaged response probabilities across cues when the cues made sufficiently similar predictions.

## Co-author Information

\* Presenting Author

First Name	Last Name	Affiliation	E-mail
Olga *	Lositsky *	Princeton University	lositsky@princeton.edu
Michael	Shvartsman	Princeton University	ms44@princeton.edu
Robert C.	Wilson	University of Arizona	bob@email.arizona.edu
Jonathan D.	Cohen	Princeton University	jdc@princeton.edu

## Keywords

Keywords
context-dependent decision-making
drift diffusion model

probability learning
----------------------

structure learning
--------------------

cue combination
-----------------

bounded optimality
--------------------

frequency manipulation
------------------------